

Version 1.1

Revision Date 03/03/2017

Print Date 03/02/2018

Zepinc

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07731 TM PINA COLADA 30%VOC L3 12n5.3		
Material number	:	0000000001042690		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318		
Telephone	:	404-352-1680		

# Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Recommended use : Air Care

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

### **GHS** Classification

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

#### **GHS** label elements

: Danger
<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames



# Δ07731 TM PINA COL ΔDΔ 30%VOC L 3 12n5 3

Version 1.1	Revision Date 03/03/2017	Print Date 03/02/2018
	and other ignition sources. No sm	oking.
	P211 Do not spray on an open fla	me or other ignition source.
	P251 Pressurized container: Do n use.	ot pierce or burn, even after
	P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after	• • • •
	P271 Use only outdoors or in a w P280 Wear eye protection/ face p	ell-ventilated area.
	Response:	
	P304 + P340 + P312 IF INHALED and keep comfortable for breathin	•
	CENTER/doctor if you feel unwell	•
	P305 + P351 + P338 IF IN EYES	
	for several minutes. Remove cont easy to do. Continue rinsing.	•
	P337 + P313 If eye irritation persi attention.	sts: Get medical advice/
	Storage:	
	P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12	
	P403 Store in a well-ventilated pla	
	Disposal:	
	Dispose of contents/container in regulation.	accordance with local

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

CAS-No.	Concentration [%]
67-64-1	>= 50 - < 70
74-98-6	>= 20 - < 30
84-66-2	>=1-<5
100-51-6	>=1-<5
	67-64-1 74-98-6 84-66-2

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.



Version 1.1	Revision Date 03/03/2017	Print Date 03/02/2018
	If eye irritation persists, consult a s Rinse immediately with plenty of w	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospita	n. irected to do so by a
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayed Symptoms may include irritation, re Symptoms may include central ner resulting in headache, nausea and Effects are dependent on exposure contact time).</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizzines Review section 2 of SDS to see all</li> </ul>	edness, pain, and rash. vous system depression, /or dizziness. e (dose, concentration, s.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

ZepInc

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.



Version 1.1	Revision Date 03/03/2017	Print Date 03/02/2018
	If the product contaminates rivers a respective authorities.	and lakes or drains inform
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawd Sweep up or vacuum up spillage a container for disposal.	lust).

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL



Version 1.1

Revision Date 03/03/2017

Print Date 03/02/2018

		C	3,000 ppm	CAL PEL
		PEL	500 ppm	CAL PEL
			1,200 mg/m3	
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,800 mg/m3	
		PEL	1,000 ppm	CAL PEL
			1,800 mg/m3	
diethyl phthalate	84-66-2	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
		PEL	5 mg/m3	CAL PEL
benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL

## Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As	25 mg/l	ACGIH BEI
				soonas		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures	:	effective	ventilation	in all	processing area	as
	•	011001110	vor itiliation		proceeding and	~~

Personal protective equipme	nt	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material		Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location.
		Safety glasses
Skin and body protection	:	Impervious clothing
		Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.



Version 1.1

Revision Date 03/03/2017



Print Date 03/02/2018

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 5,515.8 hPa
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: partly soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Heat of combustion	: 36.83 kJ/g

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents



Version 1.1

Revision Date 03/03/2017

Print Date 03/02/2018

Acids

Hazardous decomposition : products

: Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition	: None known.			
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time).			
Carcinogenicity:				
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.			
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.			
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.			
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
Acute toxicity				
Product:				
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method			
Acute inhalation toxicity	: Acute toxicity estimate : 55.15 mg/l Exposure time: 4 h			
	Test atmosphere: dust/mist Method: Calculation method			
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method			
Components:				
acetone:				
Acute oral toxicity	: LD50 Rat: 5,800 mg/kg			



Version 1.1	Revision Date 03/03/2017	Print Date 03/02/201
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
<b>propane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 658 mg/l Exposure time: 4 h	
	LC50 Rat: 1,355 mg/l	
diethyl phthalate: Acute oral toxicity	: LD50 Oral Rat: 8,600 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4,640 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Dermal Rat, male and female	: > 10,000 mg/kg
<b>benzyl alcohol:</b> Acute dermal toxicity	: LD50 Rabbit: 1,250 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin in	itation in susceptible persons.	
Serious eye damage/eye irritat	ion	
Product:		
Remarks: Eye irritation		
Respiratory or skin sensitisatio	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		



Version 1.1

Revision Date 03/03/2017

acetone: propane: diethyl phthalate: benzyl alcohol:

#### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### **Further information**

### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

#### Persistence and degradability

No data available **Bioaccumulative potential** 

### **Product:**

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
diethyl phthalate : Partition coefficient: n- octanol/water benzyl alcohol :	: log Pow: 2.2 (41 °C)
Partition coefficient: n- octanol/water	: Pow: 0.87
Mobility in soil	
No data available	
Other adverse effects	
No data available	

# No

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances



Version 1.1	Revision Date 03/03/2017	Print Date 03/02/2018
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.



Version 1.1

Revision Date 03/03/2017

Print Date 03/02/2018

Zepinc

## EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA** Reportable Quantity

С	Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
а	cetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	Is : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard				
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.				
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.				
The components of this product are reported in the following inventories:					
TSCA DSL	On TSCA Inventory All components of this product are on the Canadian DSL				

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 1.1

Revision Date 03/03/2017

Print Date 03/02/2018





### **OSHA - GHS Label Information:**

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	<ul> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection.</li> <li>Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	1.1
Revision Date:	03/03/2017
Print Date:	03/02/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.



Version 1.1

Revision Date 03/03/2017

