

Version 1.0	Revision Date 05/29/2015	Print Date 03/02/2018

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Enforcer(R) Wasp & Yellow Jacket Foam V	
EPA ID Number:		40849-4	
Material number	:	0000000001045838	
Manufacturer or supplier's details			
Company	:	Zep Commercial Sales & Service, a unit of Zep, Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

# Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

# SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	mild, characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure	: Category 2 : Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.</li> <li>Storage:</li> </ul>



Version 1.0	Revision Date 05/29/2015	Print Date 03/02/2018
	P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	•
ACGIH	No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH.	5
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propane	74-98-6	>= 10 - < 20
butane	106-97-8	>= 5 - < 10

#### SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>Consult a physician after significant exposure.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>Rinse immediately with plenty of water for at least 15 minutes.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>



Version 1.0	Revision Date 05/29/2015	Print Date 03/02/2018

DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

# SECTION 7. HANDLING AND STORAGE

- Advice on safe handling
- : Avoid exposure obtain special instructions before use.



Version 1.0	Revision Date 05/29/2015	Print Date 03/02/2018
	Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking shou application area. Do not breathe vapours or spray m Take precautionary measures agai Provide sufficient air exchange and Dispose of rinse water in accordance regulations. Always replace cap after use.	ld be prohibited in the ist. nst static discharges. /or exhaust in work rooms.
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. exposure and temperatures over 56 or throw into fire even after use. Do red-hot objects. No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilat Electrical installations / working ma the technological safety standards.</li> </ul>	0 °C. Do not open by force o not spray on flames or red place.
Materials to avoid	: Do not store near acids. Store and keep away from bases a	nd alkalies.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

### Components with workplace control parameters

### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to



Version 1.0	Revision Date 05/29/2015	Print Date 03/02/2018
	the workstation location. Safety glasses	
Skin and body protection	: impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: Wash hands before breaks and at	the end of workday.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	clear
Odour	:	mild, characteristic
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	102 °C
Flash point	:	
		not determined
Evaporation rate	:	1
Flammability (solid, gas)	:	Flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	not determined
Relative vapour density	:	no data available
Density	:	0.975 g/cm3
Solubility(ies)		
Water solubility	:	soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	8.35 kJ/g



Version 1.0

Revision Date 05/29/2015

ZepInc

Print Date 03/02/2018

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids
Hazardous decomposition products	: Carbon oxides

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Components:		
propane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 658 mg/l Exposure time: 4 h
		LC50 rat: 1,355 mg/l
butane:		
Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 1,355 mg/l
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation		
no data available		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		



Version 1.0

Revision Date 05/29/2015

Print Date 03/02/2018

#### **Reproductive toxicity**

no data available

#### propane: butane:

#### STOT - single exposure

no data available

# STOT - repeated exposure

no data available

# Aspiration toxicity

no data available

#### **Further information**

#### Product:

Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

no data available

## Persistence and degradability

no data available **Bioaccumulative potential** 

#### **Product:**

	<u>i ioduci.</u>	
	Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
	Partition coefficient: n- octanol/water	: Pow: 2.89
I	Mobility in soil	
ľ	no data available	
(	Other adverse effects	
I	no data available Product:	
	Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
	Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



Version 1.0

Revision Date 05/29/2015

Print Date 03/02/2018

Additional ecological information

: no data available

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

# Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION Harmful if swallowed. Harmful if inhaled. Harmful if absorbed through skin.

Causes moderate eye irritation.



Version 1.0

Revision Date 05/29/2015

Print Date 03/02/2018

This pesticide is extremely toxic to fish and aquatic invertebrates. This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Observe label precautions.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	Is : Fire Hazard Sudden Release of Pressure Hazard		
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.		
The components of this product are reported in the following inventories:			
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS NZIOC PICCS IECSC	Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory		

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)


#### SECTION 16. OTHER INFORMATION



Revision Date 05/29/2015 Print Date 03/02/2018

Further information

Version 1.0



# HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

# **OSHA GHS Label Information:**

Hazard pictograms Signal word Warning: Hazard statements Flammable aerosol. Contains gas under pressure; may explode if heated. Precautionary statements Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

> Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version:	1.0
Revision Date:	05/29/2015
Print Date:	03/02/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension<sup>™</sup>, Petro<sup>®</sup>, i-Chem<sup>®</sup>, TimeMist<sup>®</sup>, TimeWick<sup>™</sup>, MicrobeMax<sup>®</sup>, Country Vet<sup>®</sup>, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

<sup>2 =</sup> Moderate, 3 = High 4 = Extreme, \* = Chronic